




Client:Maxi - Eastrand



Performance

| Scanned Tags % | | Patrol Performance % | |
|--|------|--------------------------------|------|
| Average Tags Scanned: | 11 | Patrol Performance Percentage: | 91 % |
| Total Tags Scheduled: | 143 | Total Patrol Scheduled: | 11 |
| Scanned Tags: | 120 | Failed Patrols: | 0 |
| Missed Tags: | 23 | Incomplete Patrols: | 1 |
| Total Patrol Reminders Required: | 11 | Acceptable Patrols: | 10 |
| Total Failed to Start: | 0 | Complete Patrols: | 0 |
| Acceptable Level of Scanned Tags (SLA) : | 85 % | | |

Alarms summary for last 24 hours

| Type of alarm | Count |
|---------------|-------|
| SHOCK | 3 |

Patrols summary

| Patrol ID | Start time | End time | Tags validated | Percent validated | Category |
|-----------|------------|----------|----------------|-------------------|-------------------|
| 21062352 | 19:00:00 | 20:00:00 | 11 | 85% | Acceptable patrol |
| 21062457 | 20:00:00 | 21:00:00 | 11 | 85% | Acceptable patrol |
| 21062411 | 21:00:00 | 22:00:00 | 11 | 85% | Acceptable patrol |
| 21062599 | 22:00:00 | 23:00:00 | 11 | 85% | Acceptable patrol |
| 21062378 | 23:00:00 | 0:00:00 | 11 | 85% | Acceptable patrol |
| 21062677 | 0:00:00 | 1:00:00 | 10 | 77% | Incomplete patrol |
| 21062595 | 1:00:00 | 2:00:00 | 11 | 85% | Acceptable patrol |
| 21062615 | 2:00:00 | 3:00:00 | 11 | 85% | Acceptable patrol |
| 21062461 | 3:00:00 | 4:00:00 | 11 | 85% | Acceptable patrol |
| 21062680 | 4:00:00 | 5:00:00 | 11 | 85% | Acceptable patrol |
| 21062507 | 5:00:00 | 6:00:00 | 11 | 85% | Acceptable patrol |

Patrol Detail

Patrol ID: 21062352 scheduled 2025-04-05 19:00:00 to 2025-04-05 20:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 19:05:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 19:02:00 |
| Patrol Reminder 2 | 19:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Head office emergency door | 19:00 - 20:00 | | Air Products Tank yard | Missed |
| Head office - office 5 | 19:00 - 20:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 19:00 - 20:00 | 19:05:00 | Air Products Tank yard | Scanned |
| Special Gas | 19:00 - 20:00 | 19:08:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 19:00 - 20:00 | 19:08:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 19:00 - 20:00 | 19:09:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 19:00 - 20:00 | 19:13:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 19:00 - 20:00 | 19:15:00 | Air Products Tank yard | Scanned |
| New HP | 19:00 - 20:00 | 19:17:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 19:00 - 20:00 | 19:24:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 19:00 - 20:00 | 19:25:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 19:00 - 20:00 | 19:26:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 19:00 - 20:00 | 19:27:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 27 Min |

Patrol ID: 21062457 scheduled **2025-04-05 20:00:00** to **2025-04-05 21:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 20:03:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 20:02:00 |
| Patrol Reminder 2 | 20:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|---------------|--------------------------|-------------------------|---------------|
| Head office - office 5 | 20:00 - 21:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 20:00 - 21:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 20:00 - 21:00 | 20:03:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 20:00 - 21:00 | 20:06:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 20:00 - 21:00 | 20:07:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 20:00 - 21:00 | 20:07:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 20:00 - 21:00 | 20:08:00 | Air Products Tank yard | Scanned |
| New HP | 20:00 - 21:00 | 20:09:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 20:00 - 21:00 | 20:10:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 20:00 - 21:00 | 20:11:00 | Air Products Tank yard | Scanned |
| Special Gas | 20:00 - 21:00 | 20:11:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 20:00 - 21:00 | 20:12:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 20:00 - 21:00 | 20:16:00 | Air Products Tank yard | Scanned |
| Status: | | Acceptable patrol | Patrol Duration: | 16 Min |

Patrol ID: 21062411 scheduled **2025-04-05 21:00:00** to **2025-04-05 22:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 21:03:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 21:02:00 |
| Patrol Reminder 2 | 21:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|---------------|----------|------------------------|---------|
| Head office emergency door | 21:00 - 22:00 | | Air Products Tank yard | Missed |
| Head office - office 5 | 21:00 - 22:00 | | Air Products Tank yard | Missed |
| Medical aid kit | 21:00 - 22:00 | 21:03:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 21:00 - 22:00 | 21:04:00 | Air Products Tank yard | Scanned |
| Special Gas | 21:00 - 22:00 | 21:05:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 21:00 - 22:00 | 21:05:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 21:00 - 22:00 | 21:06:00 | Air Products Tank yard | Scanned |
| Tank yard Guard Room | 21:00 - 22:00 | 21:07:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 21:00 - 22:00 | 21:15:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 21:00 - 22:00 | 21:16:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 21:00 - 22:00 | 21:17:00 | Air Products Tank yard | Scanned |

Patrol ID: 21062411 scheduled 2025-04-05 21:00:00 to 2025-04-05 22:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 21:03:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 21:02:00 |
| Patrol Reminder 2 | 21:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|----------------------------|-------------------|----------|------------------------|---------|
| HQ Pedestrian Gate - 11484 | 21:00 - 22:00 | 21:18:00 | Air Products Tank yard | Scanned |
| New HP | 21:00 - 22:00 | 21:23:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 23 Min |

Patrol ID: 21062599 scheduled 2025-04-05 22:00:00 to 2025-04-05 23:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 22:10:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 22:02:00 |
| Patrol Reminder 2 | 22:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Head office - office 5 | 22:00 - 23:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 22:00 - 23:00 | | Air Products Tank yard | Missed |
| Corner 2 Next to Gautrain Rail | 22:00 - 23:00 | 22:10:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 22:00 - 23:00 | 22:11:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 22:00 - 23:00 | 22:12:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 22:00 - 23:00 | 22:13:00 | Air Products Tank yard | Scanned |
| New HP | 22:00 - 23:00 | 22:16:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 22:00 - 23:00 | 22:17:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 22:00 - 23:00 | 22:19:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 22:00 - 23:00 | 22:20:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 22:00 - 23:00 | 22:21:00 | Air Products Tank yard | Scanned |
| Special Gas | 22:00 - 23:00 | 22:21:00 | Air Products Tank yard | Scanned |
| Tank yard Guard Room | 22:00 - 23:00 | 22:23:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 23 Min |

Patrol ID: 21062378 scheduled 2025-04-05 23:00:00 to 2025-04-06 00:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 23:00:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 23:02:00 |
| Patrol Reminder 2 | 23:10:00 |

Patrol ID: 21062378 scheduled 2025-04-05 23:00:00 to 2025-04-06 00:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 23:00:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 23:02:00 |
| Patrol Reminder 2 | 23:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Head office - office 5 | 23:00 - 00:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 23:00 - 00:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 23:00 - 00:00 | 23:00:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 23:00 - 00:00 | 23:02:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 23:00 - 00:00 | 23:04:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 23:00 - 00:00 | 23:04:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 23:00 - 00:00 | 23:05:00 | Air Products Tank yard | Scanned |
| New HP | 23:00 - 00:00 | 23:16:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 23:00 - 00:00 | 23:17:00 | Air Products Tank yard | Scanned |
| Special Gas | 23:00 - 00:00 | 23:18:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 23:00 - 00:00 | 23:18:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 23:00 - 00:00 | 23:20:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 23:00 - 00:00 | 23:21:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 21 Min |

Patrol ID: 21062677 scheduled 2025-04-06 00:00:00 to 2025-04-06 01:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 00:05:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 00:02:00 |
| Patrol Reminder 2 | 00:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|---------------|----------|------------------------|---------|
| Medical aid kit | 00:00 - 01:00 | | Air Products Tank yard | Missed |
| Head office - office 5 | 00:00 - 01:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 00:00 - 01:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 00:00 - 01:00 | 00:05:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 00:00 - 01:00 | 00:08:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 00:00 - 01:00 | 00:13:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 00:00 - 01:00 | 00:14:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 00:00 - 01:00 | 00:15:00 | Air Products Tank yard | Scanned |
| New HP | 00:00 - 01:00 | 00:18:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 00:00 - 01:00 | 00:22:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 00:00 - 01:00 | 00:24:00 | Air Products Tank yard | Scanned |

Patrol ID: 21062677 scheduled **2025-04-06 00:00:00** to **2025-04-06 01:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 00:05:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 00:02:00 |
| Patrol Reminder 2 | 00:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Special Gas | 00:00 - 01:00 | 00:25:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 00:00 - 01:00 | 00:25:00 | Air Products Tank yard | Scanned |
| Status: | Incomplete patrol | | Patrol Duration: | 25 Min |

Patrol ID: 21062595 scheduled **2025-04-06 01:00:00** to **2025-04-06 02:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 01:14:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 01:02:00 |
| Patrol Reminder 2 | 01:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Head office - office 5 | 01:00 - 02:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 01:00 - 02:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 01:00 - 02:00 | 01:14:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 01:00 - 02:00 | 01:16:00 | Air Products Tank yard | Scanned |
| Special Gas | 01:00 - 02:00 | 01:17:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 01:00 - 02:00 | 01:18:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 01:00 - 02:00 | 01:19:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 01:00 - 02:00 | 01:20:00 | Air Products Tank yard | Scanned |
| New HP | 01:00 - 02:00 | 01:30:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 01:00 - 02:00 | 01:32:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 01:00 - 02:00 | 01:32:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 01:00 - 02:00 | 01:33:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 01:00 - 02:00 | 01:34:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 34 Min |

Patrol ID: 21062615 scheduled **2025-04-06 02:00:00** to **2025-04-06 03:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 02:34:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 02:02:00 |
| Patrol Reminder 2 | 02:10:00 |

Patrol ID: 21062615 scheduled **2025-04-06 02:00:00** to **2025-04-06 03:00:00**, **Planned**

Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 02:34:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 02:02:00 |
| Patrol Reminder 2 | 02:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|--------------------------|----------|-------------------------|---------------|
| Head office - office 5 | 02:00 - 03:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 02:00 - 03:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 02:00 - 03:00 | 02:34:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 02:00 - 03:00 | 02:36:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 02:00 - 03:00 | 02:37:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 02:00 - 03:00 | 02:38:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 02:00 - 03:00 | 02:39:00 | Air Products Tank yard | Scanned |
| New HP | 02:00 - 03:00 | 02:40:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 02:00 - 03:00 | 02:41:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 02:00 - 03:00 | 02:42:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 02:00 - 03:00 | 02:43:00 | Air Products Tank yard | Scanned |
| Special Gas | 02:00 - 03:00 | 02:44:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 02:00 - 03:00 | 02:45:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 45 Min |

Patrol ID: 21062461 scheduled **2025-04-06 03:00:00** to **2025-04-06 04:00:00**, **Planned**

Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 03:11:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 03:02:00 |
| Patrol Reminder 2 | 03:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|---------------|----------|------------------------|---------|
| Head office - office 5 | 03:00 - 04:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 03:00 - 04:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 03:00 - 04:00 | 03:11:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 03:00 - 04:00 | 03:13:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 03:00 - 04:00 | 03:15:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 03:00 - 04:00 | 03:16:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 03:00 - 04:00 | 03:16:00 | Air Products Tank yard | Scanned |
| New HP | 03:00 - 04:00 | 03:18:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 03:00 - 04:00 | 03:20:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 03:00 - 04:00 | 03:21:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 03:00 - 04:00 | 03:22:00 | Air Products Tank yard | Scanned |

Patrol ID: 21062461 scheduled **2025-04-06 03:00:00** to **2025-04-06 04:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 03:11:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 03:02:00 |
| Patrol Reminder 2 | 03:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Special Gas | 03:00 - 04:00 | 03:23:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 03:00 - 04:00 | 03:23:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 23 Min |

Patrol ID: 21062680 scheduled **2025-04-06 04:00:00** to **2025-04-06 05:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 04:35:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 04:02:00 |
| Patrol Reminder 2 | 04:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Head office - office 5 | 04:00 - 05:00 | | Air Products Tank yard | Missed |
| Head office emergency door | 04:00 - 05:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 04:00 - 05:00 | 04:35:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 04:00 - 05:00 | 04:37:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 04:00 - 05:00 | 04:37:00 | Air Products Tank yard | Scanned |
| Special Gas | 04:00 - 05:00 | 04:37:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 04:00 - 05:00 | 04:39:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 04:00 - 05:00 | 04:40:00 | Air Products Tank yard | Scanned |
| New HP | 04:00 - 05:00 | 04:41:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 04:00 - 05:00 | 04:42:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 04:00 - 05:00 | 04:43:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 04:00 - 05:00 | 04:43:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 04:00 - 05:00 | 04:44:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 44 Min |

Patrol ID: 21062507 scheduled **2025-04-06 05:00:00** to **2025-04-06 06:00:00**, **Planned**
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 05:10:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 05:02:00 |
| Patrol Reminder 2 | 05:10:00 |

Patrol ID: 21062507 scheduled 2025-04-06 05:00:00 to 2025-04-06 06:00:00, Planned
Duration 60 Min

| | |
|-------------------|----------|
| Patrol Started: | 05:10:00 |
| Failed to Start: | None |
| Patrol Reminder 1 | 05:02:00 |
| Patrol Reminder 2 | 05:10:00 |

Tags on this patrol

| Tag name | Planned | Scanned | Reader | Status |
|--------------------------------|-------------------|----------|------------------------|---------|
| Head office emergency door | 05:00 - 06:00 | | Air Products Tank yard | Missed |
| Head office - office 5 | 05:00 - 06:00 | | Air Products Tank yard | Missed |
| Tank yard Guard Room | 05:00 - 06:00 | 05:10:00 | Air Products Tank yard | Scanned |
| Corner 2 Next to Gautrain Rail | 05:00 - 06:00 | 05:12:00 | Air Products Tank yard | Scanned |
| 71081- Bulk change area | 05:00 - 06:00 | 05:13:00 | Air Products Tank yard | Scanned |
| Amonia Site - 11444 | 05:00 - 06:00 | 05:14:00 | Air Products Tank yard | Scanned |
| HQ Pedestrian Gate - 11484 | 05:00 - 06:00 | 05:15:00 | Air Products Tank yard | Scanned |
| New HP | 05:00 - 06:00 | 05:21:00 | Air Products Tank yard | Scanned |
| Maxi Tank Filling Site - 11483 | 05:00 - 06:00 | 05:22:00 | Air Products Tank yard | Scanned |
| Special Gas | 05:00 - 06:00 | 05:22:00 | Air Products Tank yard | Scanned |
| Spec/Gas Valve Room - 11452 | 05:00 - 06:00 | 05:23:00 | Air Products Tank yard | Scanned |
| New Mess Room - 11495 | 05:00 - 06:00 | 05:25:00 | Air Products Tank yard | Scanned |
| Medical aid kit | 05:00 - 06:00 | 05:26:00 | Air Products Tank yard | Scanned |
| Status: | Acceptable patrol | | Patrol Duration: | 26 Min |

Route Comments

| Asset | Date | Controller | Event | Comments |
|-------|---------------------|------------|-------|----------|
| 4183 | 06-04-2025 00:27:03 | | SHOCK | - |
| 4183 | 05-04-2025 21:28:08 | | SHOCK | - |
| 4183 | 06-04-2025 05:20:39 | | SHOCK | - |