




Client:Maxi - Jhb South



Performance

Scanned Tags %		Patrol Performance %	
Average Tags Scanned:	9	Patrol Performance Percentage:	62 %
Total Tags Scheduled:	96	Total Patrol Scheduled:	8
Scanned Tags:	73	Failed Patrols:	0
Missed Tags:	23	Incomplete Patrols:	3
Total Patrol Reminders Required:	11	Acceptable Patrols:	5
Total Failed to Start:	0	Complete Patrols:	0
Acceptable Level of Scanned Tags (SLA) :	85 %		

Alarms summary for last 24 hours

Type of alarm	Count
PATROL FAILED	1
SABOTAGE	30

Patrols summary

Patrol ID	Start time	End time	Tags validated	Percent validated	Category
21088579	21:00:00	22:00:00	9	75%	Incomplete patrol
21088612	22:00:00	23:00:00	11	92%	Acceptable patrol
21088686	23:00:00	0:00:00	11	92%	Acceptable patrol
21088549	0:00:00	1:00:00	9	75%	Incomplete patrol
21088485	1:00:00	2:00:00	11	92%	Acceptable patrol
21088573	2:00:00	3:00:00	10	83%	Acceptable patrol
21088468	3:00:00	4:00:00	11	92%	Acceptable patrol
21088559	4:00:00	5:00:00	1	8%	Incomplete patrol

Patrol Detail

Patrol ID: 21088579 scheduled 2025-04-08 21:00:00 to 2025-04-08 22:00:00, Planned Duration 60 Min

Patrol Started:	21:03:00
Failed to Start:	None
Patrol Reminder 1	21:02:00
Patrol Reminder 2	21:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Kiosk Opposite Courtyard	21:00 - 22:00		Sheldon Place	Missed
Far End Basement	21:00 - 22:00		Sheldon Place	Missed
USB Entrance.	21:00 - 22:00		Sheldon Place	Missed
13261 - Fail To Start	21:00 - 22:00	21:03:00	Sheldon Place	Scanned
North Block-Fire Extinguisher Escape 1st	21:00 - 22:00	21:04:00	Sheldon Place	Scanned
Fire Extinguisher Cabin Next to Main Ent	21:00 - 22:00	21:05:00	Sheldon Place	Scanned
909907-creative space media door	21:00 - 22:00	21:09:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	21:00 - 22:00	21:11:00	Sheldon Place	Scanned
B.S.P.E	21:00 - 22:00	21:12:00	Sheldon Place	Scanned
Telkom Stores.	21:00 - 22:00	21:13:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	21:00 - 22:00	21:14:00	Sheldon Place	Scanned
Fire Escape West Side	21:00 - 22:00	21:16:00	Sheldon Place	Scanned
Status:	Incomplete patrol		Patrol Duration:	16 Min

Patrol ID: 21088612 scheduled 2025-04-08 22:00:00 to 2025-04-08 23:00:00, Planned Duration 60 Min

Patrol Started:	22:03:00
Failed to Start:	None
Patrol Reminder 1	22:02:00
Patrol Reminder 2	22:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
----------	---------	---------	--------	--------

Patrol ID: 21088612 scheduled 2025-04-08 22:00:00 to 2025-04-08 23:00:00, Planned Duration 60 Min

Patrol Started:	22:03:00
Failed to Start:	None
Patrol Reminder 1	22:02:00
Patrol Reminder 2	22:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Far End Basement	22:00 - 23:00		Sheldon Place	Missed
13261 - Fail To Start	22:00 - 23:00	22:03:00	Sheldon Place	Scanned
North Block-Fire Extinguisher Escape 1st	22:00 - 23:00	22:04:00	Sheldon Place	Scanned
Fire Extinguisher Cabin Next to Main Ent	22:00 - 23:00	22:05:00	Sheldon Place	Scanned
Kiosk Opposite Courtyard	22:00 - 23:00	22:08:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	22:00 - 23:00	22:09:00	Sheldon Place	Scanned
909907-creative space media door	22:00 - 23:00	22:09:00	Sheldon Place	Scanned
USB Entrance.	22:00 - 23:00	22:10:00	Sheldon Place	Scanned
B.S.P.E	22:00 - 23:00	22:10:00	Sheldon Place	Scanned
Telkom Stores.	22:00 - 23:00	22:11:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	22:00 - 23:00	22:12:00	Sheldon Place	Scanned
Fire Escape West Side	22:00 - 23:00	22:15:00	Sheldon Place	Scanned
Status:	Acceptable patrol		Patrol Duration:	15 Min

Patrol ID: 21088686 scheduled 2025-04-08 23:00:00 to 2025-04-09 00:00:00, Planned Duration 60 Min

Patrol Started:	23:03:00
Failed to Start:	None
Patrol Reminder 1	23:02:00
Patrol Reminder 2	23:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Far End Basement	23:00 - 00:00		Sheldon Place	Missed
13261 - Fail To Start	23:00 - 00:00	23:03:00	Sheldon Place	Scanned
North Block-Fire Extinguisher Escape 1st	23:00 - 00:00	23:04:00	Sheldon Place	Scanned
Fire Extinguisher Cabin Next to Main Ent	23:00 - 00:00	23:05:00	Sheldon Place	Scanned
Kiosk Opposite Courtyard	23:00 - 00:00	23:08:00	Sheldon Place	Scanned
909907-creative space media door	23:00 - 00:00	23:09:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	23:00 - 00:00	23:10:00	Sheldon Place	Scanned
B.S.P.E	23:00 - 00:00	23:11:00	Sheldon Place	Scanned
USB Entrance.	23:00 - 00:00	23:11:00	Sheldon Place	Scanned
Telkom Stores.	23:00 - 00:00	23:13:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	23:00 - 00:00	23:14:00	Sheldon Place	Scanned
Fire Escape West Side	23:00 - 00:00	23:17:00	Sheldon Place	Scanned

Status:	Acceptable patrol	Patrol Duration:	17	Min
---------	-------------------	------------------	----	-----

Patrol ID: 21088549 scheduled 2025-04-09 00:00:00 to 2025-04-09 01:00:00, Planned Duration 60 Min

Patrol Started:	00:03:00
Failed to Start:	None
Patrol Reminder 1	00:02:00
Patrol Reminder 2	00:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Far End Basement	00:00 - 01:00		Sheldon Place	Missed
Fire Extinguisher Cabin Next to Main Ent	00:00 - 01:00		Sheldon Place	Missed
909907-creative space media door	00:00 - 01:00		Sheldon Place	Missed
North Block-Fire Extinguisher Escape 1st	00:00 - 01:00	00:03:00	Sheldon Place	Scanned
13261 - Fail To Start	00:00 - 01:00	00:03:00	Sheldon Place	Scanned
Kiosk Opposite Courtyard	00:00 - 01:00	00:08:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	00:00 - 01:00	00:09:00	Sheldon Place	Scanned
USB Entrance.	00:00 - 01:00	00:10:00	Sheldon Place	Scanned
B.S.P.E	00:00 - 01:00	00:11:00	Sheldon Place	Scanned
Telkom Stores.	00:00 - 01:00	00:12:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	00:00 - 01:00	00:13:00	Sheldon Place	Scanned
Fire Escape West Side	00:00 - 01:00	00:16:00	Sheldon Place	Scanned
Status:	Incomplete patrol	Patrol Duration:	16	Min

Patrol ID: 21088485 scheduled 2025-04-09 01:00:00 to 2025-04-09 02:00:00, Planned Duration 60 Min

Patrol Started:	01:03:00
Failed to Start:	None
Patrol Reminder 1	01:02:00
Patrol Reminder 2	01:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Far End Basement	01:00 - 02:00		Sheldon Place	Missed
North Block-Fire Extinguisher Escape 1st	01:00 - 02:00	01:03:00	Sheldon Place	Scanned
13261 - Fail To Start	01:00 - 02:00	01:03:00	Sheldon Place	Scanned
Fire Extinguisher Cabin Next to Main Ent	01:00 - 02:00	01:04:00	Sheldon Place	Scanned
Kiosk Opposite Courtyard	01:00 - 02:00	01:06:00	Sheldon Place	Scanned
909907-creative space media door	01:00 - 02:00	01:07:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	01:00 - 02:00	01:07:00	Sheldon Place	Scanned
USB Entrance.	01:00 - 02:00	01:08:00	Sheldon Place	Scanned
B.S.P.E	01:00 - 02:00	01:08:00	Sheldon Place	Scanned

Patrol ID: 21088485 scheduled 2025-04-09 01:00:00 to 2025-04-09 02:00:00, Planned Duration 60 Min

Patrol Started:	01:03:00
Failed to Start:	None
Patrol Reminder 1	01:02:00
Patrol Reminder 2	01:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Telkom Stores.	01:00 - 02:00	01:09:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	01:00 - 02:00	01:09:00	Sheldon Place	Scanned
Fire Escape West Side	01:00 - 02:00	01:12:00	Sheldon Place	Scanned
Status:	Acceptable patrol		Patrol Duration:	12 Min

Patrol ID: 21088573 scheduled 2025-04-09 02:00:00 to 2025-04-09 03:00:00, Planned Duration 60 Min

Patrol Started:	02:03:00
Failed to Start:	None
Patrol Reminder 1	02:02:00
Patrol Reminder 2	02:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Far End Basement	02:00 - 03:00		Sheldon Place	Missed
Fire Escape West Side	02:00 - 03:00		Sheldon Place	Missed
13261 - Fail To Start	02:00 - 03:00	02:03:00	Sheldon Place	Scanned
North Block-Fire Extinguisher Escape 1st	02:00 - 03:00	02:04:00	Sheldon Place	Scanned
Fire Extinguisher Cabin Next to Main Ent	02:00 - 03:00	02:05:00	Sheldon Place	Scanned
Kiosk Opposite Courtyard	02:00 - 03:00	02:07:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	02:00 - 03:00	02:08:00	Sheldon Place	Scanned
909907-creative space media door	02:00 - 03:00	02:08:00	Sheldon Place	Scanned
USB Entrance.	02:00 - 03:00	02:08:00	Sheldon Place	Scanned
B.S.P.E	02:00 - 03:00	02:09:00	Sheldon Place	Scanned
Telkom Stores.	02:00 - 03:00	02:10:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	02:00 - 03:00	02:10:00	Sheldon Place	Scanned
Status:	Acceptable patrol		Patrol Duration:	10 Min

Patrol ID: 21088468 scheduled 2025-04-09 03:00:00 to 2025-04-09 04:00:00, Planned Duration 60 Min

Patrol Started:	03:04:00
Failed to Start:	None
Patrol Reminder 1	03:02:00
Patrol Reminder 2	03:10:00

Patrol ID: 21088468 scheduled 2025-04-09 03:00:00 to 2025-04-09 04:00:00, Planned Duration 60 Min

Patrol Started:	03:04:00
Failed to Start:	None
Patrol Reminder 1	03:02:00
Patrol Reminder 2	03:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Far End Basement	03:00 - 04:00		Sheldon Place	Missed
North Block-Fire Extinguisher Escape 1st	03:00 - 04:00	03:04:00	Sheldon Place	Scanned
13261 - Fail To Start	03:00 - 04:00	03:04:00	Sheldon Place	Scanned
Fire Extinguisher Cabin Next to Main Ent	03:00 - 04:00	03:05:00	Sheldon Place	Scanned
Kiosk Opposite Courtyard	03:00 - 04:00	03:07:00	Sheldon Place	Scanned
909907-creative space media door	03:00 - 04:00	03:08:00	Sheldon Place	Scanned
USB Entrance.	03:00 - 04:00	03:08:00	Sheldon Place	Scanned
(Fire Extinguisher Cabin next to Main to 1	03:00 - 04:00	03:08:00	Sheldon Place	Scanned
Telkom Stores.	03:00 - 04:00	03:09:00	Sheldon Place	Scanned
B.S.P.E	03:00 - 04:00	03:09:00	Sheldon Place	Scanned
Sheldon Place-Basement Entrance	03:00 - 04:00	03:11:00	Sheldon Place	Scanned
Fire Escape West Side	03:00 - 04:00	03:12:00	Sheldon Place	Scanned
Status:	Acceptable patrol		Patrol Duration:	12 Min

Patrol ID: 21088559 scheduled 2025-04-09 04:00:00 to 2025-04-09 05:00:00, Planned Duration 60 Min

Patrol Started:	04:01:00
Failed to Start:	None
Patrol Reminder 1	04:02:00
Patrol Reminder 2	04:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
Kiosk Opposite Courtyard	04:00 - 05:00		Sheldon Place	Missed
North Block-Fire Extinguisher Escape 1st	04:00 - 05:00		Sheldon Place	Missed
(Fire Extinguisher Cabin next to Main to 1	04:00 - 05:00		Sheldon Place	Missed
Sheldon Place-Basement Entrance	04:00 - 05:00		Sheldon Place	Missed
909907-creative space media door	04:00 - 05:00		Sheldon Place	Missed
USB Entrance.	04:00 - 05:00		Sheldon Place	Missed
B.S.P.E	04:00 - 05:00		Sheldon Place	Missed
Fire Extinguisher Cabin Next to Main Ent	04:00 - 05:00		Sheldon Place	Missed
Far End Basement	04:00 - 05:00		Sheldon Place	Missed
Telkom Stores.	04:00 - 05:00		Sheldon Place	Missed
Fire Escape West Side	04:00 - 05:00		Sheldon Place	Missed
13261 - Fail To Start	04:00 - 05:00	04:01:00	Sheldon Place	Scanned

Status:

Incomplete patrol

Patrol Duration:

1 Min

Route Comments

Asset	Date	Controller	Event	Comments
2882	09-04-2025 00:05:46		SABOTAGE	-
2882	09-04-2025 05:13:10		SABOTAGE	-
2882	08-04-2025 22:02:54		SABOTAGE	-
2882	09-04-2025 00:04:57		SABOTAGE	-
2882	09-04-2025 05:12:54		SABOTAGE	-
2882	09-04-2025 00:06:03		SABOTAGE	-
2882	08-04-2025 22:02:57		SABOTAGE	-
2882	08-04-2025 23:06:16		SABOTAGE	-
2882	08-04-2025 21:09:12		SABOTAGE	-
2882	09-04-2025 02:01:40		SABOTAGE	-
2882	08-04-2025 23:03:52		SABOTAGE	-
2882	09-04-2025 00:09:09		SABOTAGE	-
2882	08-04-2025 21:04:57		SABOTAGE	-
2882	09-04-2025 00:07:17		SABOTAGE	-
2882	08-04-2025 21:03:59		SABOTAGE	-
2882	08-04-2025 23:07:50		SABOTAGE	-
2882	08-04-2025 21:10:34		SABOTAGE	-
2882	09-04-2025 05:01:47		PATROL FAILED	-
2882	09-04-2025 02:01:45		SABOTAGE	-
2882	08-04-2025 23:05:25		SABOTAGE	-
2882	09-04-2025 00:08:54		SABOTAGE	-
2882	08-04-2025 21:05:41		SABOTAGE	-
2882	08-04-2025 23:05:26		SABOTAGE	-
2882	08-04-2025 21:09:18		SABOTAGE	-
2882	09-04-2025 00:06:32		SABOTAGE	-
2882	08-04-2025 19:23:11		SABOTAGE	-
2882	08-04-2025 22:58:33		SABOTAGE	-
2882	09-04-2025 00:08:52		SABOTAGE	-
2882	08-04-2025 21:04:22		SABOTAGE	-
2882	09-04-2025 00:07:19		SABOTAGE	-
2882	08-04-2025 21:04:28		SABOTAGE	-