




Client:JT VIP



Performance

Scanned Tags %		Patrol Performance %	
Average Tags Scanned:	4	Patrol Performance Percentage:	27 %
Total Tags Scheduled:	66	Total Patrol Scheduled:	11
Scanned Tags:	42	Failed Patrols:	0
Missed Tags:	24	Incomplete Patrols:	8
Total Patrol Reminders Required:	11	Acceptable Patrols:	3
Total Failed to Start:	9	Complete Patrols:	0
Acceptable Level of Scanned Tags (SLA) :	85 %		

Alarms summary for last 24 hours

Type of alarm	Count
FAILED TO START	9
PATROL FAILED	5

Patrols summary

Patrol ID	Start time	End time	Tags validated	Percent validated	Category
21135694	19:00:00	20:00:00	5	83%	Acceptable patrol
21135657	20:00:00	21:00:00	4	67%	Incomplete patrol
21135683	21:00:00	22:00:00	4	67%	Incomplete patrol
21135464	22:00:00	23:00:00	5	83%	Acceptable patrol
21135851	23:00:00	0:00:00	5	83%	Acceptable patrol
21135757	0:00:00	1:00:00	3	50%	Incomplete patrol
21135576	1:00:00	2:00:00	2	33%	Incomplete patrol
21135611	2:00:00	3:00:00	4	67%	Incomplete patrol
21135470	3:00:00	4:00:00	4	67%	Incomplete patrol
21135823	4:00:00	5:00:00	2	33%	Incomplete patrol
21135682	5:00:00	6:00:00	4	67%	Incomplete patrol

Patrol Detail

Patrol ID: 21135694 scheduled 2025-04-14 19:00:00 to 2025-04-14 20:00:00, Planned
Duration 60 Min

Patrol Started:	19:12:00
Failed to Start:	None
Patrol Reminder 1	19:02:00
Patrol Reminder 2	19:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956349-Gas Section	19:00 - 20:00		Vine Avenue	Missed
955454- Car Park Side	19:00 - 20:00	19:12:00	Vine Avenue	Scanned
956755-Guard Room	19:00 - 20:00	19:13:00	Vine Avenue	Scanned
956658- Geyser Pump	19:00 - 20:00	19:14:00	Vine Avenue	Scanned
956348-Back Tecront Pole	19:00 - 20:00	19:17:00	Vine Avenue	Scanned
956324- Back Wall	19:00 - 20:00	19:17:00	Vine Avenue	Scanned
Status:	Acceptable patrol		Patrol Duration:	17 Min

Patrol ID: 21135657 scheduled 2025-04-14 20:00:00 to 2025-04-14 21:00:00, Planned
Duration 60 Min

Patrol Started:	20:20:00
Failed to Start:	None
Patrol Reminder 1	20:02:00
Patrol Reminder 2	20:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956349-Gas Section	20:00 - 21:00		Vine Avenue	Missed
956324- Back Wall	20:00 - 21:00		Vine Avenue	Missed

Patrol ID: 21135657 scheduled 2025-04-14 20:00:00 to 2025-04-14 21:00:00, Planned Duration 60 Min

Patrol Started:	20:20:00
Failed to Start:	None
Patrol Reminder 1	20:02:00
Patrol Reminder 2	20:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956755-Guard Room	20:00 - 21:00	20:20:00	Vine Avenue	Scanned
955454- Car Park Side	20:00 - 21:00	20:20:00	Vine Avenue	Scanned
956348-Back Tecront Pole	20:00 - 21:00	20:25:00	Vine Avenue	Scanned
956658- Geyser Pump	20:00 - 21:00	20:26:00	Vine Avenue	Scanned
Status:	Incomplete patrol			Patrol Duration: 26 Min

Patrol ID: 21135683 scheduled 2025-04-14 21:00:00 to 2025-04-14 22:00:00, Planned Duration 60 Min

Patrol Started:	21:16:00
Failed to Start:	None
Patrol Reminder 1	21:02:00
Patrol Reminder 2	21:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956348-Back Tecront Pole	21:00 - 22:00		Vine Avenue	Missed
956324- Back Wall	21:00 - 22:00		Vine Avenue	Missed
955454- Car Park Side	21:00 - 22:00	21:16:00	Vine Avenue	Scanned
956755-Guard Room	21:00 - 22:00	21:16:00	Vine Avenue	Scanned
956349-Gas Section	21:00 - 22:00	21:17:00	Vine Avenue	Scanned
956658- Geyser Pump	21:00 - 22:00	21:18:00	Vine Avenue	Scanned
Status:	Incomplete patrol			Patrol Duration: 18 Min

Patrol ID: 21135464 scheduled 2025-04-14 22:00:00 to 2025-04-14 23:00:00, Planned Duration 60 Min

Patrol Started:	22:13:00
Failed to Start:	None
Patrol Reminder 1	22:02:00
Patrol Reminder 2	22:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956755-Guard Room	22:00 - 23:00		Vine Avenue	Missed
955454- Car Park Side	22:00 - 23:00	22:13:00	Vine Avenue	Scanned
956349-Gas Section	22:00 - 23:00	22:14:00	Vine Avenue	Scanned
956658- Geyser Pump	22:00 - 23:00	22:15:00	Vine Avenue	Scanned

Patrol ID: 21135464 scheduled 2025-04-14 22:00:00 to 2025-04-14 23:00:00, Planned Duration 60 Min

Patrol Started:	22:13:00
Failed to Start:	None
Patrol Reminder 1	22:02:00
Patrol Reminder 2	22:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956348-Back Tecront Pole	22:00 - 23:00	22:16:00	Vine Avenue	Scanned
956324- Back Wall	22:00 - 23:00	22:17:00	Vine Avenue	Scanned
Status:	Acceptable patrol		Patrol Duration:	17 Min

Patrol ID: 21135851 scheduled 2025-04-14 23:00:00 to 2025-04-15 00:00:00, Planned Duration 60 Min

Patrol Started:	23:10:00
Failed to Start:	None
Patrol Reminder 1	23:02:00
Patrol Reminder 2	23:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956349-Gas Section	23:00 - 00:00		Vine Avenue	Missed
956755-Guard Room	23:00 - 00:00	23:10:00	Vine Avenue	Scanned
955454- Car Park Side	23:00 - 00:00	23:10:00	Vine Avenue	Scanned
956658- Geyser Pump	23:00 - 00:00	23:12:00	Vine Avenue	Scanned
956348-Back Tecront Pole	23:00 - 00:00	23:13:00	Vine Avenue	Scanned
956324- Back Wall	23:00 - 00:00	23:13:00	Vine Avenue	Scanned
Status:	Acceptable patrol		Patrol Duration:	13 Min

Patrol ID: 21135757 scheduled 2025-04-15 00:00:00 to 2025-04-15 01:00:00, Planned Duration 60 Min

Patrol Started:	00:19:00
Failed to Start:	None
Patrol Reminder 1	00:02:00
Patrol Reminder 2	00:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956755-Guard Room	00:00 - 01:00		Vine Avenue	Missed
956349-Gas Section	00:00 - 01:00		Vine Avenue	Missed
955454- Car Park Side	00:00 - 01:00		Vine Avenue	Missed
956348-Back Tecront Pole	00:00 - 01:00	00:19:00	Vine Avenue	Scanned
956658- Geyser Pump	00:00 - 01:00	00:19:00	Vine Avenue	Scanned
956324- Back Wall	00:00 - 01:00	00:20:00	Vine Avenue	Scanned

Status:	Incomplete patrol	Patrol Duration:	20	Min
---------	-------------------	------------------	----	-----

Patrol ID: 21135576 scheduled 2025-04-15 01:00:00 to 2025-04-15 02:00:00, Planned Duration 60 Min

Patrol Started:	01:10:00
Failed to Start:	None
Patrol Reminder 1	01:02:00
Patrol Reminder 2	01:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956324- Back Wall	01:00 - 02:00		Vine Avenue	Missed
956658- Geyser Pump	01:00 - 02:00		Vine Avenue	Missed
956755-Guard Room	01:00 - 02:00		Vine Avenue	Missed
956348-Back Tecront Pole	01:00 - 02:00		Vine Avenue	Missed
955454- Car Park Side	01:00 - 02:00	01:10:00	Vine Avenue	Scanned
956349-Gas Section	01:00 - 02:00	01:11:00	Vine Avenue	Scanned
Status:	Incomplete patrol	Patrol Duration:	11	Min

Patrol ID: 21135611 scheduled 2025-04-15 02:00:00 to 2025-04-15 03:00:00, Planned Duration 60 Min

Patrol Started:	02:14:00
Failed to Start:	None
Patrol Reminder 1	02:02:00
Patrol Reminder 2	02:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
955454- Car Park Side	02:00 - 03:00		Vine Avenue	Missed
956324- Back Wall	02:00 - 03:00		Vine Avenue	Missed
956755-Guard Room	02:00 - 03:00	02:14:00	Vine Avenue	Scanned
956349-Gas Section	02:00 - 03:00	02:15:00	Vine Avenue	Scanned
956658- Geyser Pump	02:00 - 03:00	02:16:00	Vine Avenue	Scanned
956348-Back Tecront Pole	02:00 - 03:00	02:16:00	Vine Avenue	Scanned
Status:	Incomplete patrol	Patrol Duration:	16	Min

Patrol ID: 21135470 scheduled 2025-04-15 03:00:00 to 2025-04-15 04:00:00, Planned Duration 60 Min

Patrol Started:	03:10:00
Failed to Start:	None
Patrol Reminder 1	03:02:00
Patrol Reminder 2	03:10:00

Patrol ID: 21135470 scheduled 2025-04-15 03:00:00 to 2025-04-15 04:00:00, Planned Duration 60 Min

Patrol Started:	03:10:00
Failed to Start:	None
Patrol Reminder 1	03:02:00
Patrol Reminder 2	03:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956349-Gas Section	03:00 - 04:00		Vine Avenue	Missed
956755-Guard Room	03:00 - 04:00		Vine Avenue	Missed
955454- Car Park Side	03:00 - 04:00	03:10:00	Vine Avenue	Scanned
956658- Geyser Pump	03:00 - 04:00	03:12:00	Vine Avenue	Scanned
956348-Back Tecront Pole	03:00 - 04:00	03:13:00	Vine Avenue	Scanned
956324- Back Wall	03:00 - 04:00	03:13:00	Vine Avenue	Scanned
Status:	Incomplete patrol	Patrol Duration: 13 Min		

Patrol ID: 21135823 scheduled 2025-04-15 04:00:00 to 2025-04-15 05:00:00, Planned Duration 60 Min

Patrol Started:	04:10:00
Failed to Start:	None
Patrol Reminder 1	04:02:00
Patrol Reminder 2	04:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956755-Guard Room	04:00 - 05:00		Vine Avenue	Missed
956324- Back Wall	04:00 - 05:00		Vine Avenue	Missed
956348-Back Tecront Pole	04:00 - 05:00		Vine Avenue	Missed
956349-Gas Section	04:00 - 05:00		Vine Avenue	Missed
955454- Car Park Side	04:00 - 05:00	04:10:00	Vine Avenue	Scanned
956658- Geyser Pump	04:00 - 05:00	04:12:00	Vine Avenue	Scanned
Status:	Incomplete patrol	Patrol Duration: 12 Min		

Patrol ID: 21135682 scheduled 2025-04-15 05:00:00 to 2025-04-15 06:00:00, Planned Duration 60 Min

Patrol Started:	05:14:00
Failed to Start:	None
Patrol Reminder 1	05:02:00
Patrol Reminder 2	05:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
956658- Geyser Pump	05:00 - 06:00		Vine Avenue	Missed
956348-Back Tecront Pole	05:00 - 06:00		Vine Avenue	Missed

Patrol ID: 21135682 scheduled 2025-04-15 05:00:00 to 2025-04-15 06:00:00, Planned Duration 60 Min

Patrol Started:	05:14:00
Failed to Start:	None
Patrol Reminder 1	05:02:00
Patrol Reminder 2	05:10:00

Tags on this patrol

Tag name	Planned	Scanned	Reader	Status
955454- Car Park Side	05:00 - 06:00	05:14:00	Vine Avenue	Scanned
956755-Guard Room	05:00 - 06:00	05:14:00	Vine Avenue	Scanned
956349-Gas Section	05:00 - 06:00	05:15:00	Vine Avenue	Scanned
956324- Back Wall	05:00 - 06:00	05:18:00	Vine Avenue	Scanned
Status:	Incomplete patrol		Patrol Duration:	18 Min

Route Comments

Asset	Date	Controller	Event	Comments
4089	15-04-2025 04:14:02		PATROL FAILED	-
4089	14-04-2025 20:10:01		FAILED TO START	-
4089	15-04-2025 04:10:05		FAILED TO START	-
4089	14-04-2025 19:10:05		FAILED TO START	-
4089	14-04-2025 20:17:48		PATROL FAILED	-
4089	15-04-2025 01:10:06		FAILED TO START	-
4089	15-04-2025 06:19:08		PATROL FAILED	-
4089	15-04-2025 03:10:03		FAILED TO START	-
4089	15-04-2025 05:10:01		FAILED TO START	-
4089	14-04-2025 22:10:05		FAILED TO START	-
4089	14-04-2025 21:10:05		FAILED TO START	-
4089	14-04-2025 23:10:05		FAILED TO START	-
4089	15-04-2025 02:12:00		PATROL FAILED	-
4089	15-04-2025 05:16:21		PATROL FAILED	-